Fluid Phase Equilibria, 77 (1992) 357–358
Elsevier Science Publishers B.V., Amsterdam

Contents Volume 77 (1992)

Guide for Authors 1– 12
A simple equation of state for the Lennard-Jones fluid. A new reference term for equations of state and perturbation theories
N.K. Koutras, V.I. Harismiadis and D.P. Tassios (Athens, Greece) 13– 38
Monte Carlo calculation of solubilities of high-boiling component in supercritical carbon dioxide
H. Eya, Y. Iwai, T. Fukuda and Y. Arai (Fukuoka, Japan) 39– 51
Thermodynamics of solutions containing reactive species. A guide to fundamentals and applications
M.M. Abbott and H.C. Van Ness (Troy, NY, USA) 53–119
Calculation of Joule–Thomson inversion curves from a general cubic equation of state
D. Geaňa and V. Feroiu (Bucharest, Romania) 121–132
Application of the UNIQUAC equation to regular solutions
G. Soave (San Donato Milanese, Italy) 133–137
Monte Carlo simulation of the water–methanol system
X.-W. Wu, Y.-G. Li, J.-F. Lu and T. Teng (Beijing, China) 139–156
Correlation of binary critical loci and prediction of vapor–liquid equilibria by a hard-sphere three-parameter equation
P. Li and X.-Y. Zheng (Dalian, China) 157–179
Modification of the Kumar–Starling five-parameter cubic equation of state and extension to mixtures
J.-Z. Chu, Y.-X. Zuo and T.-M. Guo (Beijing, China) 181–216
Peng–Robinson predictions for hydrocarbons, CO_2, N_2 and H_2S with pure water and NaCl brine
I. Søreide and C.H. Whitson (Trondheim, Norway) 217–240
Comparison of the dielectric behavior of mixtures of methanol with carbon dioxide and ethane in the mixture-critical and liquid regions
V. Roškar, R.A. Dombro, G.A. Prentice, C.R. Westgate and M.A. McHugh (Baltimore, MD, USA) 241–259
Vapour pressure isotope effect of N-deuterated pyrrole
W. Kimizuka and J. Szydłowski (Warsaw, Poland) 261–267
Unusual critical temperature phenomena in fluid mixtures containing perfluorotributylamine
R.J. Sadus (Hawthorn, Vic., Australia) 269–283
Light scattering as a probe of thermodynamic quantities in a binary mixture
A. Bot and G.H. Wegdam (Amsterdam, Netherlands) 285–295
Measurement of activity coefficients in highly dilute solutions. Part II
M. Wobst, G. Hradetzky, and H.-J. Bittrich (Merseburg, Germany) 297–312

Vapor–liquid eqilibria for α-pinene and β-pinene and for these pinenes with heptane, cyclohexane, 1-octene and cyclohexene
R. Reich and V. Sanhueza (Concepcion, Chile) 313–325

Experimental determination of the phase behavior of binary mixtures of methane + benzene. Part I. Vapor + liquid, solid benzene + liquid, solid benzene + vapor and solid benzene + liquid + vapor equilibria
M.P.W.M. Rijkers, M. Malais, C.J. Peters and J. de Swaan Arons (Delft, The Netherlands) 327–342

Experimental determination of the phase behavior of binary mixtures of methane + benzene. Part II. The solubility of liquid benzene in supercritical methane
M.P.W.M. Rijkers, M. Hathie, C.J. Peters and J. de Swaan Arons (Delft, The Netherlands) 343–353

Author Index 355
Contents of Vol. 77 357–358